

HOSE RAMP

RUBBER



Hose Ramps allow the passage of vehicles over charged fire fighting delivery hoses without affecting or damaging the hose. This is especially useful during firefighting operations where large number of hoses are already laid out, at the same time, emergency and fire fighting vehicles movement may also be required for operations.

Brief Description : AAAG Hose Ramp, made of Natural Rubber, suitable for laying out 2 Nos. 63 mm Fire fighting delivery hoses. The Ramp shall allow passage of vehicles upto 20,000 kgs weight, and shall have interlocking arrangement with keys to attach two or more ramps, for passage of multityre vehicles.

1.0 GENERAL DATA

1.1	Make	AAAG
1.2	Model	HR (Rubber)
1.3	Size	63 mm x 2 Hoses
1.4	Material of Construction	Rubber
1.4	Reference	--

2.0 MATERIAL OF CONSTRUCTION

2.1	Ramp	Rubber (Natural)
2.1	Interlock Key	Rubber (Natural)

3.0 TESTING AND QUALITY CONTROL

3.1	Dimensional check	See drawing below
3.2	Documentation	Internal inspection report, supplier's certificates, approved laboratory test certificates

4.0 OPERATIONAL/ TECHNICAL DATA

4.1	Dimensions	860 mm (L) x 300 mm (W) x 85 mm (max. H)
4.3	Weight (approx.)	20 Kgs. (approx) (Single Ramp)

5.0 FINISH



5.1	Ramp	Natural
-----	------	---------

6.0 APPROVALS & MARKING

6.1	Approvals	--
6.2	Marking on Nozzle	AAAG/ Year of Mfg./Sl.No

7.0 WARRANTY

7.1	Warranty & Guarantee	12 Months from the date of supply
-----	----------------------	-----------------------------------



Shah Bhogilal Jethalal & Bros.

AHMEDABAD

TITLE :

Hose Ramp, Natural Rubber, Conventional Design

SCALE

DRAWING NO:

SHEET

REV.

N.T.S

R211-63BJ

1 OF 1

0