

HOSE SLING

CANVAS, CONVENTIONAL



Hose Slings are used for ease of hose handling during firefighting, especially during extended operations. Hose slings reduce strain on the firefighter arms/hands and transfer it to the shoulder. It also helps to retain hose in place when the hose has been taken up a ladder for firefighting at heights.

Brief Description : AAAG Hose Sling, made of M.S. material and Canvas strap, and having suitable arrangement for getting firm grip of hose, and for lifting the hose sling. The strap dimensions shall be approximately 860 mm x 40 mm, and shall be suitable for use with 63 mm Fire fighting delivery hoses.

1.0 GENERAL DATA

1.1	Make	AAAG
1.2	Model	HSL
1.3	Size	750 mm (L) x 50 mm (W) (Approx)
1.4	Reference Standard	--

2.0 MATERIAL OF CONSTRUCTION

2.1	Canvas	Unlined Flax Canvas, 800 g/m ³
2.2	Clamp Hook	M.S (Carbon Steel)

3.0 TESTING AND QUALITY CONTROL

3.1	Dimensional check	See drawing below
3.2	Documentation	Internal inspection report, supplier's certificates, approved laboratory test certificates

4.0 OPERATIONAL/ TECHNICAL DATA

4.1	Operating Requirement	Suitable for holding/lifting one No. 63 mm dia Hose (charged)
4.3	Weight (approx.)	0.75 Kgs. (approx)

5.0 FINISH



5.1	Sling	Natural finish (Canvas). Galvanized/Painted (for M.S. Parts)
-----	-------	--

6.0 APPROVALS & MARKING

6.1	Approvals	--
6.2	Marking	AAAG/ Year of Mfg./SI No

7.0 WARRANTY

7.1	Warranty & Guarantee	12 Months from the date of supply
-----	----------------------	-----------------------------------



Shah Bhogilal Jethalal & Bros.

AHMEDABAD

TITLE :

Hose Sling, Canvas, Conventional Design

SCALE

DRAWING NO:

SHEET

REV.

N.T.S

C220-63BJ

1 OF 1

0